

MAY. 30. 2006 6:05PM

(3) FISH & RICHARDSON 6175428906

NO. 0665 P. 1

Attorney's Docket No.: 00614-141001
Client's Ref. No.: Connector

OFFICIAL COMMUNICATION FACSIMILE:

OFFICIAL FAX NO: (571) 273-8300

Number of pages including this page 3

Applicant : Patrizio Vinciarelli et al.
Serial No. : 10/714,323
Filed : November 14, 2003

Art Unit : 2838
Examiner : Hung V. Ngo


Title : Surface Mounting A Power Converter

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Attached to this facsimile communication cover sheet is Transmittal of Request for Certificate of Correction and Certificate of Correction, faxed this 30th day of May, 2006, to the United States Patent and Trademark Office.

Date: May 30, 2006

Respectfully submitted,


David L. Feigenbaum
Reg. No. 30,378

Fish & Richardson P.C.
225 Franklin Street
Boston, MA 02110
Telephone: (617) 542-5070
Fax: (617) 542-8906

21343821.doc

NOTE: This facsimile is intended for the addressee only and may contain privileged or confidential information. If you have received this facsimile in error, please immediately call us collect at (617) 542-5070 to arrange for its return. Thank you.

MAY 31 2006

**RECEIVED
CENTRAL FAX CENTER**

MAY 30 2006

Certificate

MAY 31 2006

of Correction

MAY. 30. 2006 6:05PM

(3) FISH & RICHARDSON 6175428906

NO. 0665 -P. 2

Attorney's Docket No.: 00614-141001 / Connector

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant : Patrizio Vinciarelli et al.

Patent No. : 6,940,013

Issue Date : September 6, 2005

Serial No. : 10/714,323

Filed : November 14, 2003

Title : SURFACE MOUNTING A POWER CONVERTER

Art Unit : 2838

Examiner : Hung V. Ngo

RECEIVED
CENTRAL FAX CENTER

MAY 30 2006

Attn.: Certificate of Corrections Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

TRANSMITTAL OF REQUEST FOR CERTIFICATE OF CORRECTION

Applicant hereby requests that a certificate of correction be issued for the above patent in accordance with the attached request.


All errors sought to be corrected were made in printing by the Patent and Trademark Office, and no fee is believed to be due.

Please apply any charges or credits to Deposit Account No. 06-1050.

Respectfully submitted,

Date: _____

5/30/06


David L. Feigenbaum
Reg. No. 30,378

Fish & Richardson P.C.
225 Franklin Street
Boston, MA 02110
Telephone: (617) 542-5070
Facsimile: (617) 542-8906

21343290.doc


CERTIFICATE OF TRANSMISSION BY FACSIMILE

I hereby certify that this correspondence is being transmitted by facsimile to the Patent and Trademark Office on the date indicated below.

Date of Transmission

5/30/06

Signature



Typed or Printed Name of Person Signing Certificate

Jamie Kelaker

MAY 31 2006

FISH & RICHARDSON P.C.

SUBSTITUTE FORM PTO/SB/44 (5-03)

Staple
Here
Only**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

PATENT No. : 6,940,013
DATED : SEPTEMBER 6, 2005
INVENTOR(S) : PATRIZIO VINCIARELLI, JAY PRAGER AND MICHAEL B. LAFLEUR

It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the specification:

Column 1, Lines 24-25, "(e.g., 0.040" (11.0mm))" should be replaced with --(e.g., 0.040" (1.0mm))--

MAILING ADDRESS OF SENDER:

David L. Feigenbaum
Fish & Richardson P.C.
225 Franklin Street
Boston, MA 02110

PATENT No. 6,940,013

No. of add'l copies

number

MAY 31 2006